

TABLE OF CONTENTS



Snapper Mineral Sands Project Environmental Assessment

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>	<u>Section</u>	<u>Page</u>
1 INTRODUCTION	1-1	2.4.5 Secondary Mining	2-20
1.1 SNAPPER MINE OVERVIEW	1-1	2.4.6 Sand Residue Disposal	2-20
1.1.1 Purpose of this Report	1-1	2.4.7 Mineral Concentrate Handling	2-22
1.1.2 Background	1-1	2.4.7.1 Salt Washing Facility	2-22
1.1.2.1 The Ginkgo Mine	1-1	2.4.7.2 WHIMS Circuit	2-22
1.1.2.2 The MSP	1-1	2.4.7.3 RO Plant	2-23
1.1.2.3 Snapper Deposit Exploration History	1-1	2.4.8 Mineral Concentrate Transport	2-23
1.1.3 Snapper Mine Summary	1-3	2.4.9 Handling of Backloaded MSP Process Waste	2-23
1.1.4 Land Description and Tenure	1-5	2.5 MOBILE EQUIPMENT	2-25
1.2 SNAPPER MINE SNAPSHOT	1-5	2.6 MINE MATERIALS	2-25
1.2.1 Proponent	1-5	2.6.1 Geochemical/Physical Characteristics	2-25
1.2.2 BEMAX Environmental Policy	1-5	2.6.2 Backloaded MSP Process Waste	2-25
1.3 DIRECTOR-GENERAL'S REQUIREMENTS	1-5	2.7 WATER MANAGEMENT	2-27
1.4 DOCUMENT STRUCTURE	1-9	2.7.1 Site Water Management and Erosion and Sediment Control	2-28
1.5 EA CONSULTANTS	1-9	2.7.2 Process Water	2-28
2 PROJECT DESCRIPTION	2-1	2.7.2.1 Initial Water Demand and Supply	2-28
2.1 MINERAL DEPOSIT	2-1	2.7.2.2 Operation Water Demand and Supply	2-30
2.2 GENERAL ARRANGEMENT	2-1	2.7.3 Potable Water	2-31
2.2.1 Mine Site	2-1	2.7.4 Water Treatment	2-31
2.2.2 Ancillary Infrastructure	2-3	2.7.5 Water Disposal	2-32
2.3 SNAPPER MINE CONSTRUCTION ACTIVITIES	2-3	2.8 INFRASTRUCTURE	2-32
2.3.1 Mine Site	2-8	2.8.1 Roads	2-32
2.3.1.1 Vegetation Clearance and Soil Management	2-8	2.8.2 Electricity Distribution	2-32
2.3.1.2 Construction Pit	2-8	2.8.3 Site Buildings	2-32
2.3.1.3 Dredge and Primary Gravity Concentration Unit	2-8	2.8.4 Diesel Storage	2-32
2.3.1.4 Initial Water and Sand Residue Dams	2-8	2.9 MANAGEMENT OF CONSUMABLES AND SITE SECURITY	2-34
2.3.1.5 Initial Overburden Emplacements	2-8	2.9.1 Consumables	2-34
2.3.1.6 RO Plant and Potable Water	2-10	2.9.2 Security	2-34
2.3.1.7 Salt Washing Facility	2-10	2.10 WORKFORCE AND OPERATIONAL HOURS	2-34
2.3.1.8 WHIMS	2-10	2.10.1 Construction Phase	2-34
2.3.1.9 Water Treatment Dam	2-10	2.10.2 Operation Phase	2-34
2.3.2 Mineral Concentrate Transport Route	2-10	3 PLANNING FRAMEWORK AND SNAPPER MINE JUSTIFICATION	3-1
2.3.3 ETL	2-10	3.1 MAJOR PROJECTS	3-1
2.3.4 Construction Phase Transport Requirements	2-12	3.1.1 Application of other Provisions of the EP&A Act	3-1
2.3.5 Accommodation Camp	2-12	3.1.2 Other Approvals	3-1
2.4 SNAPPER MINE OPERATION	2-12	3.2 PERMISSIBLE DEVELOPMENT	3-2
2.4.1 Mining Method and Schedule	2-12	3.3 ENVIRONMENTAL PLANNING INSTRUMENTS	3-2
2.4.2 Vegetation Clearance and Soil Management	2-13	3.3.1 Wentworth LEP	3-2
2.4.3 Overburden Replacement	2-18	3.3.2 Section 94 Contribution Plans and Development Control Plans	3-5
2.4.4 Dredge Mining	2-19	3.3.3 <i>Western Division Regional Environmental Plan No 1 —Extractive Industries</i>	3-5
2.4.4.1 Primary Gravity Concentration Unit	2-20	3.3.4 SEPPs	3-5

TABLE OF CONTENTS (Continued)

<u>Section</u>	<u>Page</u>	<u>Section</u>	<u>Page</u>
3.4 OTHER RELEVANT STATUTORY PROVISIONS	3-7	4.8 TRANSPORT	4-32
3.4.1 <i>Mining Act, 1992</i>	3-7	4.8.1 Existing Environment	4-32
3.5 EPBC ACT	3-8	4.8.2 Assessment of Potential Impacts	4-34
3.6 INTERACTION WITH OTHER BEMAX ACTIVITIES	3-8	4.8.3 Mitigation Measures and Management	4-36
3.6.1 The Ginkgo Mine	3-9	4.9 FLORA	4-36
3.6.2 The MSP	3-9	4.9.1 Existing Environment	4-36
3.7 ENVIRONMENTAL ASSESSMENT CONSULTATION	3-9	4.9.2 Potential Impacts	4-40
3.7.1 Government Agencies	3-9	4.9.3 Mitigation Measures and Management	4-42
3.7.2 Public Consultation	3-11	4.10 FAUNA	4-44
3.7.3 Service Providers	3-12	4.10.1 Existing Environment	4-44
3.8 GENERAL OVERVIEW OF ENVIRONMENTAL IMPACTS	3-13	4.10.2 Potential Impacts	4-45
3.9 SNAPPER MINE JUSTIFICATION	3-13	4.10.3 Mitigation Measures and Management	4-47
3.9.1 Need for the Snapper Mine	3-13	4.11 NOISE	4-49
3.9.2 Consideration of Alternatives to the Snapper Mine	3-14	4.11.1 Existing Environment	4-49
3.9.3 ESD Considerations	3-16	4.11.2 Potential Impacts	4-51
3.9.4 Summary Consideration of the Potential Impacts and Benefits of the Proposal	3-20	4.11.3 Mitigation Measures and Management	4-55
4 ENVIRONMENTAL ASSESSMENT	4-1	4.12 AIR QUALITY	4-55
4.1 METEOROLOGY	4-1	4.12.1 Existing Environment	4-55
4.1.1 Existing Environment	4-1	4.12.2 Potential Impacts	4-57
4.1.2 Meteorological Monitoring	4-6	4.12.3 Mitigation Measures and Management	4-61
4.2 LAND RESOURCES	4-6	4.13 REGIONAL ECONOMY	4-63
4.2.1 Existing Environment	4-6	4.13.1 Existing Environment	4-63
4.2.2 Potential Impacts	4-8	4.13.2 Potential Impacts	4-64
4.2.3 Mitigation Measures and Management	4-11	4.14 POPULATION, EMPLOYMENT AND COMMUNITY INFRASTRUCTURE	4-65
4.3 VISUAL CHARACTER	4-14	4.14.1 Existing Environment	4-65
4.3.1 Existing Environment	4-14	4.14.2 Potential Impacts	4-68
4.3.2 Potential Impacts	4-14	4.14.3 Mitigation Measures	4-69
4.3.3 Mitigation Measures and Management	4-15	4.15 HAZARD AND RISK	4-69
4.4 HYDROGEOLOGY	4-16	4.15.1 Hazard Identification and Risk Assessment	4-70
4.4.1 Existing Environment	4-16	4.15.2 Mitigation Measures and Management	4-71
4.4.2 Potential Impacts	4-21	5 REHABILITATION PLAN	5-1
4.4.3 Mitigation Measures and Management	4-22	5.1 REHABILITATION PRINCIPLES AND OBJECTIVES	5-1
4.5 SURFACE WATER	4-23	5.1.1 Rehabilitation Principles	5-1
4.5.1 Existing Environment	4-23	5.1.2 Rehabilitation Objectives	5-1
4.5.2 Potential Impacts	4-25	5.2 REHABILITATION MATERIALS	5-1
4.5.3 Mitigation Measures and Management	4-26	5.2.1 Topsoil	5-2
4.6 ABORIGINAL CULTURAL HERITAGE	4-27	5.2.2 Subsoil	5-2
4.6.1 Existing Environment	4-27	5.2.3 Non-Slurried Overburden	5-2
4.6.2 Potential Impacts	4-28	5.2.4 Slurried Overburden	5-2
4.6.3 Mitigation Measures and Management	4-30	5.2.5 Sand Residues	5-2
4.7 NON-ABORIGINAL CULTURAL HERITAGE	4-31	5.2.6 Backloaded MSP Process Waste	5-3
4.7.1 Existing Environment	4-31	5.3 CLIMATIC VARIATION AND REVEGETATION ACTIVITIES	5-3
4.7.2 Potential Impacts	4-32		
4.7.3 Mitigation Measures and Management	4-32		

TABLE OF CONTENTS (Continued)

<u>Section</u>	<u>Page</u>
5.4 REHABILITATION OF MLA DISTURBANCE AREAS	5-3
5.4.1 General Rehabilitation Practices and Measures	5-3
5.4.2 Description and Justification of Final Landforms	5-5
5.5 HAR AND ETL REHABILITATION	5-11
5.6 REHABILITATION MONITORING	5-13
5.7 LONG-TERM PROTECTION AND MANAGEMENT MEASURES	5-13
6 DRAFT STATEMENT OF COMMITMENTS	SOC-1
7 REFERENCES	7-1
8 ABBREVIATIONS, ACRONYMS AND GLOSSARY	8-1
8.1 ABBREVIATIONS AND ACRONYMS	8-1
8.2 GLOSSARY	8-4

LIST OF TABLES

Table 1-1	Land Tenure Summary
Table 1-2	Snapper Mine Snapshot
Table 1-3	DGRs – Reference Summary
Table 2-1	Provisional Snapper Mine Construction Schedule
Table 2-2	Provisional Production Schedule
Table 2-3	Summary of WHIMS Circuit Components
Table 2-4	Provisional Equipment Fleet
Table 2-5	Approximate Snapper Mine Employee Numbers During Operation
Table 3-1	Key Potential Environmental Issues Identified in the General Overview of Environmental Impacts
Table 4-1	BOM Station Locations and Recording Periods
Table 4-2	Meteorological Data Summary
Table 4-3	Pumping Test Results from the Ginkgo and Snapper Mineral Deposits
Table 4-4	Groundwater Quality at Various Bores and Applicable ANZECC (2001) Guideline
Table 4-5	Identified Aboriginal Archaeological Sites
Table 4-6	Estimated Base Case Average Weekday Traffic Flows – Including Ginkgo Mine at Full Production
Table 4-7	Predicted Snapper Mine Daily Traffic Generation
Table 4-8	Potential Impacts of Snapper Mine on Baseline Traffic Flows
Table 4-9	Relative Scale of Various Noise Sources and Effect on People
Table 4-10	Calculated Existing Vehicle Traffic Noise Silver City Highway – South of Broken Hill

LIST OF TABLES (Continued)

Table 4-11	Air Quality Standards/Assessment Criteria for Particulate Matter Concentrations
Table 4-12	Average Dust Deposition Results (g/m ² /month)
Table 4-13	Contributions to Employment, the GRP and Output by Industry Sector – Regional Economy and NSW (2001)

LIST OF FIGURES

Figure 1-1	Regional Location
Figure 1-2	Snapper Mine (Year 1) and Ginkgo Mine (Years 3 to 5) Conceptual General Arrangements
Figure 1-3	Snapper Mine Location and Land Tenure
Figure 2-1	Conceptual Cross Section – Geological Domains of the Snapper Deposit
Figure 2-2	Snapper Mine General Arrangement Year 1
Figure 2-3	Snapper Mine General Arrangement Year 14
Figure 2-4	Snapper Mine General Arrangement Post-Mining
Figure 2-5	Initial Sand Residue Dam and Initial Water Dam – Conceptual Embankment Detail
Figure 2-6	Initial Slurried Overburden Emplacement – Conceptual Embankment Detail
Figure 2-7	Dredge Mining and Overburden Handling – Conceptual Plan
Figure 2-8	Dredge Mining and Overburden Handling – Conceptual Section
Figure 2-9	Process Flowsheet
Figure 2-10	Mine Path and Conceptual Cross Sections
Figure 2-11	Primary Gravity Concentration Unit – Process Flowsheet
Figure 2-12	Water Schematic Diagram
Figure 2-13	Conceptual Water Management System Year 1
Figure 2-14	Water Disposal Dam Concept
Figure 4-1	Regional Monitoring Sites
Figure 4-2	Annual and Seasonal Wind Roses for the Ginkgo Mine – April 2005 to March 2006
Figure 4-3	Landform Units of the Snapper Mine MLA
Figure 4-4	Regional Stratigraphy
Figure 4-5	Cumulative Groundwater Drawdown Predictions – Ginkgo and Snapper Mines
Figure 4-6	Proposed Environmental Monitoring Sites
Figure 4-7	Relevant Cultural Heritage Sites
Figure 4-8	Mineral Concentrate Transport Route (Broken Hill) and Traffic Count Locations
Figure 4-9	Vegetation Communities and Recorded Threatened Fauna Species Locations
Figure 4-10	Vegetation Communities – ETL and HAR
Figure 4-11	Noise and Dust Monitoring Locations

TABLE OF CONTENTS (Continued)

LIST OF FIGURES (Continued)

Figure 4-12 Predicted Intrusive Noise Emissions $L_{Aeq(15 \text{ minute})}$ from the Snapper Mine under Inversion Conditions - Construction

Figure 4-13 Predicted Intrusive Noise Emissions $L_{Aeq(15 \text{ minute})}$ from the Snapper Mine under Inversion Conditions – Operation Year 14

Figure 4-14 Predicted Air Quality Emissions from the Snapper Mine - Construction

Figure 4-15 Predicted Air Quality Emissions from the Snapper Mine – Operations (Year 14)

Figure 4-16 Predicted Cumulative Air Quality Emissions from the Snapper and Ginkgo Mines (Snapper Year 14)

Figure 5-1 Conceptual Cross Section Rehabilitated Mine Path

Figure 5-2 Conceptual Cross Section Rehabilitated Initial Water Dam, Initial Sand Residue Dam and Non-slurried Overburden Emplacement

Figure 5-3 Conceptual Cross Section Rehabilitated Overburden Emplacements

Figure 5-4 Conceptual Cross Section Rehabilitated Water Treatment Dam (Initial)

Figure 5-5 Conceptual Cross Section Rehabilitated Final Depression

LIST OF ATTACHMENTS

Director-General's Requirements

LIST OF APPENDICES

Appendix A Hydrogeological Assessment

Appendix B Cultural Heritage Assessment

Appendix C Road Transport Assessment

Appendix D Fauna Assessment

Appendix E Flora Assessment

Appendix F Noise Assessment

Appendix G Air Quality Assessment

Appendix H Rehabilitation Materials Assessment

Appendix I Process Waste Materials Assessment

Appendix J Socio-Economic Assessment

Appendix K Preliminary Hazard Analysis

Appendix L General Overview of Environmental Impacts